

# Cisco Touch 10

---

# Contents


Product overview	3
Features and benefits	4
Warranty information	5
Cisco environmental sustainability	5
Ordering information	5
Cisco Services	6
Cisco Capital	6
For more information	6

## Product overview

The Cisco Touch 10 control unit is an intuitive device designed to give you a delightful experience when interacting with Cisco video conferencing systems – with just a touch or swipe of your finger. This touch-based unit is optimized for an effortless user experience – from launching and ending a video conference, to sharing content, to viewing contact lists and directories, and even accessing voicemail messages.

The Touch 10 supports the Cisco MX-, SX- and IX-Series, as well as the Cisco Spark Room Series, video conferencing devices.

With the latest innovations, the Touch 10 is also able to easily control other room peripherals such as lighting, room dividers, and curtains, through a customizable API<sup>1</sup>.




**Figure 1.**  
Cisco Touch 10 control unit

---

<sup>1</sup> Requires external third-party control system processor and Collaboration Endpoint Software 8.1 (except for IX5000 which runs Cisco System Software IX 8.1x or later)

## Features and benefits

Cisco Touch 10 control unit enhances the ease of connection and communication by providing instant access to meeting, contacts, directories, and content. Touch 10 combines beautiful design and effortless user interaction with a consistent experience throughout the Cisco room-based video conferencing device portfolio.



**Figure 2.**  
User interface displaying in-room control information

Table 1 gives specifications of the Cisco Touch 10 control unit.

**Table 1.** Product specifications

	Cisco Touch 10
Product compatibility	Cisco MX Series, SX Series, IX Series; Cisco Spark Room Kit, Room Kit Plus, Room 55 and Room 70
Software compatibility	TC7.0 or later Collaboration Endpoint Software 8.0 or later Cisco System Software IX 8.1 or later
Call-control compatibility	Hosted: Controlled by codec, Cisco Unified Communications Manager 8.5.1 or later and VCS Cloud: Cisco Spark through the Cisco Collaboration Cloud
Signaling protocols	TCP/IP
Display	<ul style="list-style-type: none"><li>• Capacitive touch LCD</li><li>• 10.1-inch diagonal</li></ul>
Resolution	1280 x 800
Power supply	Power over Ethernet (PoE)
Memory	4GB
Language support	English, Arabic, Catalan, Czech, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese-Brazilian, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, and Turkish; (depends on software version)
Physical dimensions (H x L x D)	1.3 x 10 x 7 in. (3.4 x 25.5 x 18.9 cm)

	Cisco Touch 10
	Maximum height in vertical position 6.3 in (16.5 cm) Minimal height in lower position on the table: 3.2 in (8.2 cm)
Weight	1.92lb (0.87 kg)
Power	Power over Ethernet (PoE) 802.3af, 802.3, class 3 and 4
Temperature range	0°C to 40°C (32°F to 104°F)

## Warranty information

Warranty information is available on Cisco.com at the [Product Warranties](#) page.

## Cisco environmental sustainability

Information about Cisco's environmental sustainability policies and initiatives for our products, solutions, operations, and extended operations or supply chain is provided in the "Environment Sustainability" section of Cisco's [Corporate Social Responsibility](#) (CSR) Report.

Reference links to information about key environmental sustainability topics (mentioned in the "Environment Sustainability" section of the CSR Report) are provided in the following table:

Sustainability topic	Reference
Information on product material content laws and regulations	<a href="#">Materials</a>
Information on electronic waste laws and regulations, including products, batteries, and packaging	<a href="#">WEEE compliance</a>

Cisco makes the packaging data available for informational purposes only. It may not reflect the most current legal developments, and Cisco does not represent, warrant, or guarantee that it is complete, accurate, or up to date. This information is subject to change without notice.

## Ordering information

Cisco Touch 10 control unit is available as a part of an endpoint order.

To place an order, visit the [Cisco® Ordering Home Page](#) and refer to Table 2. To download software, visit the [Cisco Software Center](#).

See individual video device data sheets to determine whether Cisco Touch 10 comes standard with product.

Table 2. Ordering information

Product Name	Part Number
Cisco Touch 10 for IX Series	CTS-CTRL-DV10
Cisco Touch 10 for MX, SX and Room Series	CS-TOUCH10

**Note:** Many of the products and features described herein remain in varying stages of development and will be offered on a when-and-if-available basis. This roadmap is subject to change at the sole discretion of Cisco, and Cisco will have no liability for delay in the delivery or failure to deliver any of the products or features set forth in this document.

## Cisco Services

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco TelePresence investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, visit: <https://www.cisco.com/go/telepresenceservices>.

## Cisco Capital

### Flexible payment solutions to help you achieve your objectives

Cisco Capital makes it easier to get the right technology to achieve your objectives, enable business transformation and help you stay competitive. We can help you reduce the total cost of ownership, conserve capital, and accelerate growth. In more than 100 countries, our flexible payment solutions can help you acquire hardware, software, services and complementary third-party equipment in easy, predictable payments. [Learn more](#).

## For more information

For more information about the Cisco TelePresence Touch devices, please visit <https://www.cisco.com/go/telepresenceservices> or contact your local Cisco account representative.

### Americas Headquarters

Cisco Systems, Inc.  
San Jose, CA

### Asia Pacific Headquarters

Cisco Systems (USA) Pte. Ltd.  
Singapore

### Europe Headquarters

Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)